

Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

| Scientific Name | Common Name | Native/Exotic | EPPC | FDACS | IRC | FNAI |
|--|---------------------------|---------------|------|-------|-----|------|
| Family: Blechnaceae (min-sorus fern) | | | | | | |
| <i>Blechnum serrulatum</i> | swamp fern | native | | | | |
| Family: Nephrolepidaceae (sword fern) | | | | | | |
| <i>Nephrolepis exaltata</i> | wild Boston fern | native | | | | |
| <i>Osmunda regalis</i> | royal fern | native | | | | |
| Family: Polypodiaceae (polypod) | | | | | | |
| <i>Phlebodium aureum</i> | golden polypody | native | | | | |
| Family: Pteridaceae (brake fern) | | | | | | |
| <i>Pteris vittata</i> | Chinese ladder brake fern | exotic | II | | | |
| Family: Schizaeaceae (curly-grass) | | | | | | |
| <i>Lygodium microphyllum</i> | Old World climbing fern | exotic | I | | | |
| Family: Pinaceae (pine) | | | | | | |
| <i>Pinus elliottii</i> var. <i>densa</i> | south Florida slash pine | native | | | | |
| Family: Agavaceae (agave) | | | | | | |
| <i>Yucca aloifolia</i> | Spanish bayonet | native | | | | |
| Family: Alismataceae (water plantain) | | | | | | |
| <i>Sagittaria graminea</i> | grassy arrowhead | native | | | R | |
| <i>Sagittaria lancifolia</i> | bulbtongue arrowhead | native | | | | |
| Family: Amaryllidaceae (amaryllis) | | | | | | |
| <i>Crinum americanum</i> | string-lily | native | | | | |
| <i>Hymenocallis palmeri</i> | alligatorlily | native | | | | |
| Family: Arecaceae (palm) | | | | | | |
| <i>Sabal palmetto</i> | cabbage palm | native | | | | |
| <i>Serenoa repens</i> | saw palmetto | native | | | | |
| Family: Bromeliaceae (pineapple) | | | | | | |
| <i>Tillandsia paucifolia</i> | potbelly airplant | native | | | | |
| <i>Tillandsia recurvata</i> | ballmoss | native | | | | |
| <i>Tillandsia usneoides</i> | Spanish moss | native | | | | |
| <i>Tillandsia utriculata</i> | giant airplant | native | | | E | |
| Family: Commelinaceae (spiderwort) | | | | | | |
| <i>Commelina diffusa</i> var. <i>diffusa</i> | common dayflower | exotic | | | | |
| Family: Cyperaceae (sedge) | | | | | | |
| <i>Cladium jamaicense</i> | Jamaica swamp sawgrass | native | | | | |
| <i>Cyperus esculentus</i> | yellow nutgrass | exotic | | | | |
| <i>Cyperus flavescens</i> | yellow flatsedge | native | | | R | |
| <i>Cyperus haspan</i> | haspan flatsedge | native | | | | |
| <i>Cyperus ligularis</i> | swamp flatsedge | native | | | | |
| <i>Cyperus polystachyos</i> | manyspike flatsedge | native | | | | |
| <i>Cyperus prolifer</i> | Furnari funsedge | exotic | II | | | |
| <i>Cyperus surinamensis</i> | tropical flatsedge | native | | | | |
| <i>Eleocharis interstincta</i> | knotted spikerush | native | | | | |
| <i>Fimbristylis cymosa</i> | hurricanegrass | native | | | | |
| <i>Fimbristylis dichotoma</i> | forked fimbry | | | | R | |
| <i>Fuirena pumila</i> | dwarf umbrellasedge | native | | | I | |
| <i>Fuirena scirpoidea</i> | southern umbrellasedge | | | | R | |
| <i>Rhynchospora colorata</i> | starrush whitetop | native | | | | |
| <i>Rhynchospora fascicularis</i> | fascicled beakrush | native | | | R | |
| <i>Rhynchospora globularis</i> | globe beaksedge | native | | | I | |
| <i>Rhynchospora latifolia</i> | giant whitetop | native | | | R | |
| <i>Rhynchospora microcarpa</i> | southern beakrush | native | | | R | |
| <i>Rhynchospora nitens</i> | baldrush | native | | | R | |

Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

| Scientific Name | Common Name | Native/Exotic | EPPC | FDACS | IRC | FNAI |
|---|------------------------------|---------------|------|-------|-----|------|
| <i>Rhynchospora tracyi</i> | Tracy's beaksedge | native | | | R | |
| <i>Scleria ciliata</i> var. <i>ciliata</i> | fringed nutrush | | | | R | |
| <i>Scleria georgiana</i> | slenderfruit nutrush | native | | | I | |
| <i>Scleria reticularis</i> | netted nutrush | native | | | R | |
| Family: Eriocaulaceae (pipewort) | | | | | | |
| <i>Eriocaulon compressum</i> | flattened pipewort | native | | | R | |
| <i>Eriocaulon decangulare</i> | tenangle pipewort | native | | | R | |
| <i>Lachnocaulon anceps</i> | whitehead bogbutton | native | | | R | |
| <i>Syngonanthus flavidulus</i> | yellow hatpins | native | | | R | |
| Family: Haemodoraceae (bloodwort) | | | | | | |
| <i>Lachnanthes caroliana</i> | Carolina redroot | native | | | | |
| Family: Hypoxidaceae (yellow stargrass) | | | | | | |
| <i>Hypoxis juncea</i> | fringed yellow stargrass | native | | | | |
| Family: Juncaceae (rush) | | | | | | |
| <i>Juncus megacephalus</i> | bighead rush | native | | | R | |
| Family: Liliaceae (lily) | | | | | | |
| <i>Lilium catesbaei</i> | Catesby's lily | native | | T | I | |
| Family: Marantaceae (arrowroot) | | | | | | |
| <i>Thalia geniculata</i> | alligatorflag | native | | | | |
| Family: Nartheciaceae (bog asphodel) | | | | | | |
| <i>Aletris lutea</i> | yellow colicroot | native | | | R | |
| Family: Orchidaceae (orchid) | | | | | | |
| <i>Eulophia alta</i> | wild coco | native | | | | |
| <i>Habenaria floribunda</i> | toothpedal false reinorchid | native | | | | |
| <i>Habenaria quinqueseta</i> | longhorn false reinorchid | native | | | | |
| <i>Sacoila lanceolata</i> var. <i>lanceolata</i> | leafless beaked ladiestresse | native | | | I | |
| Family: Poaceae (grass) | | | | | | |
| <i>Amphicarpum muhlenbergianum</i> | blue maidencane | native | | | | |
| <i>Andropogon glomeratus</i> var. <i>glaucopsis</i> | purple bluestem | | | | R | |
| <i>Andropogon glomeratus</i> var. <i>pumilus</i> | bulky bluebeard | native | | | | |
| <i>Andropogon gyrans</i> | Elliott's bluestem | native | | | I | |
| <i>Andropogon longiberbis</i> | hairy bluestem | native | | | R | |
| <i>Andropogon virginicus</i> | broomsedge bluestem | native | | | I | |
| <i>Andropogon virginicus</i> var. <i>glaucus</i> | chalky bluestem | native | | | R | |
| <i>Andropogon virginicus</i> var. <i>decipiens</i> | broomsedge bluestem | native | | | I | |
| <i>Aristida purpurascens</i> var. <i>purpurascens</i> | arrowfeather threeawn | native | | | | |
| <i>Aristida spiciformis</i> | bottlebrush threeawn | native | | | R | |
| <i>Aristida stricta</i> | wiregrass | native | | | | |
| <i>Cenchrus gracillimus</i> | slender sandbur | native | | | | |
| <i>Dichanthelium erectifolium</i> | erectleaf witchgrass | native | | | R | |
| <i>Digitaria insularis</i> | sourgrass | native | | | | |
| <i>Eragrostis atrovirens</i> | thalia lovegrass | exotic | | | | |
| <i>Eragrostis ciliaris</i> | gophertail lovegrass | native | | | | |
| <i>Eragrostis ellottii</i> | Elliott's lovegrass | native | | | | |
| <i>Eragrostis spectabilis</i> | purple lovegrass | native | | | I | |
| <i>Eragrostis virginica</i> | coastal lovegrass | native | | | I | |
| <i>Eustachys glauca</i> | saltmarsh fingergrass | native | | | | |
| <i>Eustachys petraea</i> | pinewoods fingergrass | native | | | | |
| <i>Imperata cylindrica</i> | cogon grass | exotic | I | | | |
| <i>Leptochloa fusca</i> subsp. <i>fascicularis</i> | bearded sprangletop | native | | | R | |
| <i>Panicum hemitomon</i> | maidencane | native | | | | |

Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

| Scientific Name | Common Name | Native/Exotic | EPPC | FDACS | IRC | FNAI |
|---|--------------------------|---------------|------|-------|-----|------|
| <i>Panicum hians</i> | gaping panicum | native | | | R | |
| <i>Panicum maximum</i> | Guinea grass | exotic | II | | | |
| <i>Panicum repens</i> | torpedo grass | exotic | I | | | |
| <i>Panicum rigidulum</i> | redtop panicum | native | | | | |
| <i>Panicum tenerum</i> | bluejoint panicum | native | | | R | |
| <i>Paspalum caepitosum</i> | blue crowngrass | native | | | | |
| <i>Paspalum laeve</i> | field paspalum | native | | | | |
| <i>Paspalum monostachyum</i> | gulfdune paspalum | native | | | R | |
| <i>Paspalum praecox</i> | early paspalum | native | | | | |
| <i>Paspalum setaceum</i> | thin paspalum | native | | | | |
| <i>Rhynchospora repens</i> | rose natalgrass | exotic | I | | | |
| <i>Sacciolepis striata</i> | American cupscale | native | | | R | |
| <i>Setaria parviflora</i> | knotroot foxtail | native | | | | |
| <i>Sorghum bicolor</i> | grain sorghum | exotic | | | | |
| Family: Pontederiaceae (pickerelweed) | | | | | | |
| <i>Pontederia cordata</i> | pickerelweed | native | | | | |
| Family: Ruscaceae (butcher's broom) | | | | | | |
| <i>Sansevieria hyacinthoides</i> | bowstring hemp | exotic | II | | | |
| Family: Smilacaceae (smilax) | | | | | | |
| <i>Smilax auriculata</i> | earleaf greenbrier | native | | | | |
| Family: Typhaceae (cattail) | | | | | | |
| <i>Typha latifolia</i> | broadleaf cattail | native | | | R | |
| Family: Xyridaceae (yelloweyed grass) | | | | | | |
| <i>Xyris sp.</i> | yelloweyed grass | native | | | | |
| Family: Acanthaceae (acanthus) | | | | | | |
| <i>Stenandrium dulce</i> | sweet shaggytuft | native | | | R | |
| Family: Amaranthaceae (amaranth) | | | | | | |
| <i>Alternanthera philoxeroides</i> | alligatorweed | exotic | II | | | |
| Family: Anacardiaceae (cashew) | | | | | | |
| <i>Rhus copallina</i> | winged sumac | native | | | | |
| <i>Schinus terebinthifolius</i> | Brazilian pepper | exotic | I | | | |
| Family: Annonaceae (custard-apple) | | | | | | |
| <i>Asimina reticulata</i> | netted pawpaw | native | | | | |
| Family: Apiaceae (carrot) | | | | | | |
| <i>Eryngium yuccifolium</i> | button rattlesnakemaster | native | | | R | |
| <i>Oxypolis filiformis</i> subsp. <i>filiformis</i> | water cowbane | native | | | | |
| Family: Apocynaceae (dogbane) | | | | | | |
| <i>Catharanthus roseus</i> | Madagascar periwinkle | exotic | | | | |
| Family: Aquifoliaceae (holly) | | | | | | |
| <i>Ilex glabra</i> | gallberry | native | | | | |
| Family: Araliaceae (ginseng) | | | | | | |
| <i>Hydrocotyle verticillata</i> | whorled marshpennywort | native | | | R | |
| Family: Asteraceae (aster) | | | | | | |
| <i>Ambrosia artemisiifolia</i> | common ragweed | native | | | | |
| <i>Baccharis halimifolia</i> | groundsel tree | native | | | | |
| <i>Bidens alba</i> | beggerticks | native | | | | |
| <i>Chaptalia tomentosa</i> | pineland daisy | native | | | | |
| <i>Cirsium horridulum</i> | purple thistle | native | | | | |
| <i>Cirsium nuttallii</i> | Nuttall's thistle | native | | | I | |
| <i>Conyza canadensis</i> | Canadian horseweed | native | | | | |
| <i>Coreopsis leavenworthii</i> | Leavenworth's tickseed | native | | | | |

Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

| Scientific Name | Common Name | Native/Exotic | EPPC | FDACS | IRC | FNAI |
|---|------------------------------|---------------|------|-------|-----|------|
| <i>Elephantopus elatus</i> | tall elephantfoot | native | | | R | |
| <i>Emilia fosbergii</i> | Florida tasselflower | exotic | | | | |
| <i>Erigeron quercifolius</i> | oakleaf fleabane | native | | | | |
| <i>Eupatorium capillifolium</i> | dogfennel | native | | | | |
| <i>Eupatorium leptophyllum</i> | falsefennel | native | | | R | |
| <i>Eupatorium mikanioides</i> | semaphore thoroughwort | native | | | R | |
| <i>Euthamia caroliniana</i> | slender flattop goldenrod | native | | | | |
| <i>Flaveria floridana</i> | Florida yellowtops | native | | | I | |
| <i>Helenium pinnatifidum</i> | southern sneezeweed | native | | | R | |
| <i>Iva microcephala</i> | piedmont marshelder | native | | | | |
| <i>Liatris sp.</i> | gayfeather | native | | | | |
| <i>Mikania scandens</i> | climbing hempvine | native | | | | |
| <i>Pityopsis ssp.</i> | silkglass | native | | | | |
| <i>Pluchea odorata</i> | sweet-scent | native | | | | |
| <i>Pluchea rosea</i> | rosy camphorweed | native | | | | |
| <i>Solidago fistulosa</i> | pinebarren goldenrod | native | | | R | |
| <i>Solidago stricta</i> | wand goldenrod | native | | | | |
| <i>Sphagneticola trilobata</i> | creeping oxeye | exotic | II | | | |
| <i>Symphotrichum simmondsii</i> | Simmonds' aster | native | | | | |
| <i>Vernonia angustifolia</i> | tall ironweed | native | | | | |
| <i>Vernonia blodgettii</i> | Florida ironweed | native | | | R | |
| Family: Bignoniaceae (trumpet creeper) | | | | | | |
| <i>Campsis radicans</i> | trumpet creeper | native | | | | |
| Family: Boraginaceae (borage) | | | | | | |
| <i>Heliotropium polyphyllum</i> | pineland heliotrope | native | | | | |
| Family: Casuarinaceae (sheoak) | | | | | | |
| <i>Casuarina equisetifolia</i> | Australian pine | exotic | I | | | |
| Family: Chrysobalanaceae (coco plum) | | | | | | |
| <i>Licania michauxii</i> | gopher apple | native | | | | |
| Family: Clusiaceae (mangosteen) | | | | | | |
| <i>Hypericum brachyphyllum</i> | coastalplain St. John's-wort | native | | | R | |
| <i>Hypericum cistifolium</i> | roundpod St. John's-wort | native | | | | |
| <i>Hypericum hypericoides</i> | St. John's-wort | native | | | | |
| <i>Hypericum reductum</i> | Atlantic St. John's-wort | native | | | | |
| <i>Hypericum tetrapetalum</i> | fourpedal St. John's-wort | native | | | | |
| Family: Combretaceae (combretum) | | | | | | |
| <i>Terminalia catappa</i> | West Indian almond | exotic | II | | | |
| Family: Droseraceae (sundew) | | | | | | |
| <i>Drosera</i> ssp. | sundew | native | | | | |
| Family: Ebenaceae (ebony) | | | | | | |
| <i>Diospyros virginiana</i> | common persimmon | native | | | R | |
| Family: Ericaceae (heath) | | | | | | |
| <i>Lyonia lucida</i> | fetterbush | native | | | | |
| <i>Vaccinium myrsinites</i> | shiny blueberry | native | | | | |
| Family: Euphorbiaceae (spurge) | | | | | | |
| <i>Phyllanthus urinaria</i> | chamber bitter | exotic | | | | |
| <i>Stillingia aquatica</i> | corkwood | native | | | R | |
| Family: Fabaceae (pea) | | | | | | |
| <i>Acacia auriculiformis</i> | earleaf acacia | exotic | I | | | |
| <i>Aeschynomene americana</i> | shyleaf | native | | | R | |
| <i>Albizia lebbeck</i> | woman's tongue | exotic | I | | | |

Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

| Scientific Name | Common Name | Native/Exotic | EPPC | FDACS | IRC | FNAI |
|---|--------------------------|--------------------|------|-------|-----|------|
| <i>Chamaecrista fasciculata</i> | partridge pea | native | | | | |
| <i>Crotalaria lanceolata</i> | lanceleaf rattlebox | exotic | | | | |
| <i>Desmodium triflorum</i> | threeflower ticktrefoil | exotic | | | | |
| <i>Indigofera hirsuta</i> | hairy indigo | exotic | | | | |
| Family: Fagaceae (beech) | | | | | | |
| <i>Quercus laurifolia</i> | laurel oak | native | | | | |
| <i>Quercus virginiana</i> | live oak | native | | | | |
| Family: Gentianaceae (gentian) | | | | | | |
| <i>Sabatia grandiflora</i> | largeflower rosegentian | native | | | R | |
| <i>Sabatia stellaris</i> | rose-of-plymouth | native | | | | |
| Family: Haloragaceae (watermilfoil) | | | | | | |
| <i>Proserpinaca palustris</i> | marsh mermaidweed | native | | | R | |
| <i>Proserpinaca pectinata</i> | combeleaf mermaidweed | native | | | R | |
| Family: Iridaceae (iris) | | | | | | |
| <i>Sisyrinchium altanticum</i> | Blue-eyed grass | | | | | |
| Family: Juncaceae (rush) | | | | | | |
| <i>Juncus marginatus</i> | shore rush | native | | | R | |
| Family: Lamiaceae (mint) | | | | | | |
| <i>Hyptis alata</i> | musky mint | native | | | | |
| <i>Physostegia purpurea</i> | eastern false dragonhead | native | | | I | |
| <i>Piloblephis rigida</i> | wild pennyroyal | native | | | R | |
| Family: Lauraceae (laurel) | | | | | | |
| <i>Cassytha filiformis</i> | love vine | native | | | | |
| Family: Lentibulariaceae (bladderwort) | | | | | | |
| <i>Utricularia cornuta</i> | horned bladderwort | native | | | R | |
| <i>Utricularia foliosa</i> | leafy bladderwort | native | | | R | |
| Family: Linaceae (flax) | | | | | | |
| <i>Linum sp.</i> | flax | depends on species | | | | |
| Family: Loganaceae (logania) | | | | | | |
| <i>Mitreola petiolata</i> | lax hornpod | native | | | | |
| <i>Mitreola sessilifolia</i> | swamp hornpod | native | | | R | |
| Family: Lythraceae (loosestrife) | | | | | | |
| <i>Cuphea carthagenensis</i> | Colombian waxweed | exotic | | | | |
| <i>Lythrum alatum</i> | winged loosestrife | native | | | | |
| Family: Malvaceae (mallow) | | | | | | |
| <i>Melochia corchorifolia</i> | chocolateweed | exotic | | | | |
| <i>Urena lobata</i> | Caesar's weed | exotic | II | | | |
| Family: Melastomataceae (melastome) | | | | | | |
| <i>Rhexia cubensis</i> | West Indian meadowbeauty | native | | | I | |
| <i>Rhexia nuttallii</i> | Nuttall's meadowbeauty | native | | | I | |
| Family: Myricaceae (bayberry) | | | | | | |
| <i>Myrica cerifera</i> | wax myrtle | native | | | | |
| Family: Myrsinaceae (myrsine) | | | | | | |
| <i>Rapanea punctata</i> | myrsine | native | | | | |
| Family: Myrtaceae (myrtle) | | | | | | |
| <i>Eugenia uniflora</i> | Surinam cherry | exotic | I | | | |
| <i>Eucalyptus torelliana</i> | Torrell's eucalyptus | exotic | | | | |
| <i>Melaleuca quinquenervia</i> | punktree | exotic | I | | | |
| <i>Syzygium cumini</i> | Java plum | exotic | I | | | |
| Family: Nymphaeaceae (waterlily) | | | | | | |
| <i>Nuphar advena</i> | spatterdock | native | | | | |

Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

| Scientific Name | Common Name | Native/Exotic | EPPC | FDACS | IRC | FNAI |
|---|---------------------------|---------------|------|-------|-----|------|
| Family: Oleaceae (olive) | | | | | | |
| <i>Fraxinus caroliniana</i> | pop ash | native | | | R | |
| Family: Onagraceae (eveningprimrose) | | | | | | |
| <i>Gaura angustifolia</i> | southern beeblissom | native | | | | |
| <i>Ludwigia maritima</i> | seaside primrosewillow | native | | | R | |
| <i>Ludwigia microcarpa</i> | smallfruit primrosewillow | native | | | R | |
| <i>Ludwigia octovalvis</i> | Mexican primrosewillow | native | | | | |
| <i>Ludwigia peruviana</i> | Peruvian primrosewillow | exotic | | | | |
| <i>Ludwigia repens</i> | creeping primrosewillow | native | | | | |
| <i>Ludwigia virgata</i> | Savannah primrosewillow | | | | CI | |
| Family: Orobanchaceae (broomrape) | | | | | | |
| <i>Buchnera americana</i> | American bluehearts | native | | | | |
| Family: Passifloraceae (passionflower) | | | | | | |
| <i>Passiflora suberosa</i> | corkystem passionflower | native | | | | |
| Family: Phytolaccaceae (pokeweed) | | | | | | |
| <i>Phytolacca americana</i> | American pokeweed | native | | | | |
| Family: Polygalaceae (milkwort) | | | | | | |
| <i>Polygala grandiflora</i> | showy milkwort | native | | | | |
| Family: Polygonaceae (buckwheat) | | | | | | |
| <i>Polygonum hydropiperoides</i> | swamp smartweed | native | | | R | |
| <i>Rumex verticillatus</i> | swamp dock | native | | | I | |
| Family: Rubiaceae (madder) | | | | | | |
| <i>Diodia virginiana</i> | Virginia buttonweed | native | | | R | |
| <i>Ixora coccinea</i> | scarlet jungleflame | exotic | | | | |
| <i>Richardia brasiliensis</i> | tropical Mexican clover | exotic | | | | |
| <i>Spermacoce remota</i> | woodland false buttonweed | native | | | | |
| Family: Salicaceae (willow) | | | | | | |
| <i>Salix caroliniana</i> | Carolina willow | native | | | | |
| Family: Sapindaceae (soapberry) | | | | | | |
| <i>Cupaniopsis anacardioides</i> | carrotwood | exotic | I | | | |
| Family: Simaroubaceae (quassia) | | | | | | |
| <i>Leitneria floridana</i> | corkwood | native | | | | |
| Family: Urticaceae (nettle) | | | | | | |
| <i>Boehmeria cylindrica</i> | false nettle | native | | | | |
| Family: Verbenaceae (vervain) | | | | | | |
| <i>Callicarpa americana</i> | American beautyberry | native | | | | |
| <i>Phyla nodiflora</i> | capeweed | native | | | | |
| Family: Veronicaceae (speedwell) | | | | | | |
| <i>Scoparia dulcis</i> | sweetbroom | native | | | | |
| Family: Violaceae (violet) | | | | | | |
| <i>Viola lanceolata</i> | bog white violet | native | | | I | |
| <i>Viola palmata</i> | early blue violet | native | | | CI | |
| Family: Vitaceae (grape) | | | | | | |
| <i>Parthenocissus quinquefolia</i> | Virginia creeper | native | | | | |
| <i>Vitis aestivalis</i> | summer grape | native | | | I | |
| <i>Vitis rotundifolia</i> | muscadine | native | | | | |

Key

Florida EPPC Status

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

Appendix B: Plant Species List for Pop Ash Creek Preserve

Common and scientific names for this list were obtained from Wunderlin Hansen, 2003

| Scientific Name | Common Name | Native/Exotic | EPPC | FDACS | IRC | FNAI |
|-----------------|-------------|---------------|------|-------|-----|------|
|-----------------|-------------|---------------|------|-------|-----|------|

FDACS (Florida Department of Agriculture and Consumer Services)

E = Endangered

T = Threatened

CE = Commercially Exploited

IRC (Institute for Regional Conservation)

CI = Critically Imperiled

I = Imperiled

R = Rare

FNAI (Florida Natural Areas Inventory)

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure